

Current Availability

Updated: 4/10/23

GREEN = new for 2023

PURPLE = Limited Qty

**NOTE: Due to limited space at sales/events, not all plants listed will be available. If coming for a specific plant, call or message to be sure plants will be there for pickup.**

Scientific Name	Common Name	Size	Description	Now
<b>Perennials</b>				
achillea	yarrow - various	Qt	various, full sun, med to dry soils	<b>sold out</b>
actaea pachypoda	doll's eyes	1 gal	white blooms in spring turning to white berries in summer, 2'-3', full to part shade, avg soil, berries poisonous if ingested	<b>sold out</b>
actaea racemosa	black cohosh/fairy candles	1, 2 Qt	white blooms on large spikes, Jun-Jul, 4'-6', part to full shade, med to moist soil	ready late April/May
Actinomeris (verbesina) alternifolia	wingstem	Qt	bright yellow, daisy-like blooms, Aug-Oct, 3-8', part-shade to shade, med to moist soil, high value to pollinators	<b>sold out</b>
agastache foeniculum	anise hyssop	Qt/Gal	purple blooms, late summer, 2'-4', full sun, avg to dry soil, attract pollinators/butterflies/hummingbirds	<b>sold out</b>
agastache scrophulariaefolia	Purple giant hyssop	Qt	Very pale purple blooms, up to 6', full to part sun, dry to moist soil, attracts numerous pollinators/butterflies, birds feed on seeds	ready fall 2023
allium cernuum	Nodding onion	Qt	soft pink/lilac blooms, late spring, 12-18", sun to part shade, med to dry soils, deer resistant, attracts pollinators, host plant for hairstreak butterfly	<b>sold out</b>
allium tricoccum	ramps	Qt	white blooms, summer, 6-12", part to full shade, medium rich soils, edible greens	dormant
amorpha canescens	leadplant	Gal	blue/purple flowers w/ orange anthers, Jun-July, 2'-3', sun, dry to medium soil, substitute for butterfly bush	<b>dormant</b>
amsonia	blue star 'blue ice'	Qt	blue blooms, late spring, 1'-1.5', full sun to part shade, med soil	<b>few left</b>
amsonia hubrichtii	threadleaf bluestar	Gal	blue blooms, late spring, 3', full to part sun, dry to moist soil, drought tolerant, bright gold to orange foliage in fall	breaking
amsonia illustris	Shining bluestar	2 Qt	blue blooms, late spring, 3', sun to part shade, deer/rabbit resistant, nice fall color	<b>one left</b>
amsonia 'Butterscotch'	Butterscotch' bluestar	Qt	blue blooms, late spring, 2-3', sun to part shade, dry to moist soil, colorful fall foliage	<b>sold out</b>
amsonia 'Starstruck'	Starstruck' bluestar	Gal	blue blooms, late spring/early summer, 20", sun to part shade, dry to moist, colorful fall foliage, darker stem than most amsonias	<b>sold out</b>
amsonia 'Storm Cloud'	Storm Cloud' bluestar	Gal	blue blooms, late spring, 24-30", sun/part shade, med soil, shoots/stems in spring dark	<b>sold out</b>

Sheet1

amsonia tabernaemontana	bluestar	Qt	blue blooms, May, 2'-3', sun to part shade, avg soil, drought tolerant, willowy foliage turns yellow in fall, attracts butterflies	sold out
amsonia spp.	bluestar varieties	Gal	varies, includes 'Midway to Montana' and 'Halfway to Arkansas'	sold out
anaphalis margaritacea	pearly everlasting	Qt	white flowers with yellow centers, late summer, 1-3', sun to part shade, med to dry soils, tolerant of poor soils, host plant for painted lady butterflies	sold out
anemone virginiana	Tall thimbleweed	Qt	white/green flowers then prominent seed heads, mid-late spring, 1'-2', sun to part shade, dry to medium soil	plugs
anemonella thalictroides	Rue anemone	Qt	small white flowers, early spring, part shade	a few ready
Antennaria plantaginifolia	pussytoes	Qt	fuzzy white clusters of blooms, Apr-Jun, 6"-12", dry to med soil, full sun best, soft gray foliage spreads to form a nice ground cover	sold out
aquilegia canadensis	wild columbine	Qt	red blooms with yellow centers, spring, 1'-3', partial shade best, moist soil – attract hummingbirds	plugs
aquilegia canadensis	wild columbine 'Corbett'	Qt	butter yellow flowers Apr-May, 12"-18", sun to part shade, avg/moist soil, attracts hummingbirds	ready
aquilegia canadensis	wild columbine 'little lanterns'	Qt	red and yellow, 10"-12", sun to part shade, avg/moist soil, attracts hummingbirds, dwarf selection of wild	sold out
arisaema triphylum	Jack-in-the-pulpit	Qt	green/purple 'bloom', Apr-May, 1-2', med to moist soil, part to full shade	ready late April/May
aruncus dioicus	goat's beard	Gal	white/cream flowers, Jun-July, 4'-5', shade/part shade, moist but well-drained soil, Attracts butterflies, larval host to Dusky Azure butterfly	sold out
asaraum arifolium	little brown jug/evergreen ginger	Qt	small brown jug-shaped flowers, spring, evergreen foliage, moist soils	sold out
asarum canadense	wild ginger	Qt	purple-brown blooms, mid spring, groundcover, part to full shade, med to wet soil	ready late April/May
asclepias exaltata	poke milkweed	Qt	white blooms, summer, 3-5', shade/part shade, med soil, host plant for monarch butterfly, a milkweed for shade!	dormant
asclepias incarnata	swamp/red milkweed	Qt	pink blooms, June/July, 3'-5', full/part sun, average to moist soil, attracts numerous pollinators, host plant for monarchs	plugs
asclepias incarnata	swamp milkweed 'ice ballet'	Qt	white flowers June/July, moist soil, tolerates clay, attracts pollinators/monarchs	dormant
asclepias purpureascens	Purple milkweed	Gal	rose-pink to purple flowers, June/July, 2-3', sun to part shade, med to moist but well-drained soils	sold out
asclepias speciosa	showy milkweed	Qt	pink/purple flowers, May-Sept, 2-4', full sun, monarch host plant	sold out
asclepias syriaca	common milkweed	gal	pink clusters of fragrant flowers, June-July, 2'-4', full sun, avg to dry soils, host plant for monarch	sold out

Sheet1

asclepias tuberosa	butterfly milkweed	4in	Orange blooms June-July, full sun, average to dry soils, drought tolerant, attracts many butterflies/pollinators, host plant for monarchs	<b>sold out</b>
asclepias tuberosa	butterfly milkweed 'gay butterflies'	Qt	orange/red/yellow blooms June-July, full sun, average to dry soils, drought tolerant, attracts many butterflies/pollinators, host plant for monarchs	<b>sold out</b>
asclepias tuberosa	butterfly milkweed 'hello yellow'	Qt	yellow blooms June-July, full sun, average to dry soils, drought tolerant, attracts many butterflies/pollinators, host plant for monarchs	<b>sold out</b>
asclepias verticillata	whorled milkweed	Qt	white or greenish-white blooms, Jul-Sept, 2', full sun to part shade, avg to dry soils, attracts numerous pollinators, host plant for monarch	plugs
aster azureus	sky blue aster	Qt	light blue-violet blooms, fall, 2-3', sun, dry to med soil, tolerates rocky soils	ready
aster 'Bridal Veil'	Bridal veil aster	Qt	Numerous while blooms on arching/spreading stems, fall, up to 2', sun to part sun, tolerant of dry slopes, salt tolerant, nice for cascading over walls/down a bank	a few avail
aster cordifolius	blue wood aster	Qt	clouds of blue-violet blooms, early fall, 2'-3', full shade to part sun, avg soil, attracts butterflies	plugs
aster cordifolius 'Avondale'	Avondale' blue wood aster	Gal	light blue blooms, early fall, 2-3', full to part shade, avg soil, attracts butterflies	<b>sold out</b>
aster divaricatus	white wood aster	Gal	white blooms, Aug-Sept, 1-2.5', part to full shade, med to dry soil, attracts butterflyes	ready
aster divaricatus	white wood aster 'Eastern Star'	Gal	white blooms on mahogany stems, fall, 18"-24", shade/part shade, moist to dry soils, attracts butterflies	<b>sold out</b>
aster ericoides	Heath aster 'Snow Flurry'	Gal	white blooms, Sept-Oct, 6"-8", mat-forming groundcover, full sun, drought tolerant	ready
aster laevis	smooth aster	Gal	violet blooms, late summer, 2-3', sun, avg/dry soil, upright form and generally clean foliage	<b>sold out</b>
aster laevis	Bluebird' smooth aster	Qt	violet blooms, late summer/fall, 3-4', avg/dry soil, attractive to butterflies/pollinators, deer resistant, generally pest-free foliage, earned #1 ranking in Mt Cuba Center aster trial	<b>sold out</b>
aster lateriflorus	Lady in Black' calico aster	QT	pale pink to white daisy-like blooms, dark stems and tint of purple to foliage, late summer-fall, 3-4', sun to part shade, dry to moist soil, attractive to pollinators/butterflies, deer resistant	<b>sold out</b>
aster macrophylla	big leaf aster	Qt	violet blooms, late summer – fall, 1-3', full to part shade, dry to moist soil, attracts butterflies/pollinators	<b>sold out</b>
aster macrophylla	Twilight' big leaf aster	Gal	large lavender-blue blooms on reddish stems, fall, 2-3', sun to part shade, dry to moist soils	ready
aster novae-angliae	New England aster	Qt	Pink-purple blooms, fall, 3-6', full sun, med soils	plugs

Sheet1

aster novae-angliae	Aster 'Purple Dome'	Gal	dark purple blooms, fall, 1.5-2', full sun, med soil	sold out
aster novae-angliae	Aster 'Harrington's Pink'	Qt	pink blooms, fall, 3-6', full sun, avg soil, drought tolerant, deer resistant, attracts butterflies	sold out
aster novae-angliae	Aster 'Violetta'	Qt	deep violet-purple blooms, fall, 4-5', full sun, avg soil, deer/rabbit resistant, attracts butterflies	ready
aster novi-belgii	New york aster	Qt	pink/purple/white blooms, Aug-Sept, 3'-5', full sun, avg to moist soil, attracts butterflies/pollinators, nice with fall mums	sold out
aster oblongifolius	Aromatic aster 'Raydon's favorite'	Qt/Gal	Blue-purple blooms, Sept-Oct, 2'-3', sun to part shade, tolerant of dry/poor soils	sold out
aster oblongifolius	Aromatic aster 'October Skies'	Gal	light blue flowers, fall, 1.5-2', sun to part shade, tolerant of dry/poor soils	sold out
aster puniceus	Purple-stemmed/swamp aster	2 Qt	purple daisy-like blooms on reddish-purple stems, late Aug – Oct, 3'-6', moist soil, full sun	ready
aster spectabilis	showy aster	Qt	violet blooms, later summer-fall, 1-2', part shade to full sun, dry to moist	plugs
aster umbellatus	Flat-topped white aster	Qt	clusters of white, daisy-like blooms, late Aug – Sept, 2'-5', moist soil, full sun to part shade, attractive to bees/butterflies	plugs
aster 'wood's light blue'	wood's light blue aster	Qt	clear pale violet-blue flowers, fall, 12", med to moist soil, sun to part shade	sold out
aster 'wood's pink'	wood's pink' aster	Gal	clear pink flowers with gold centers, fall, 12", med to moist soil, sun to part shade	sold out
aster 'wood's purple'	wood's purple aster	Gal	clear purple flowers, fall, 12", med to moist soil, sun to part shade	sold out
aster 'Little Carlow'	Little Carlow blue wood aster	Qt	blue/purple blooms with yellow centers, Sept-Oct, 1.5-2', full sun, medium soil, a cross of a. cordifolius and a. novi-belgii	sold out
astilbe biternata	Appalachian false goat's beard	2 Qt	creamy white flowers, late spring/early summer, 4-6', full to part shade, avg to moist soil	dormant
baptisia australis	Blue false indigo	Gal	blue blooms, late spring/early summer followed by interesting seed pods, 3-4', sun to part shade, med to dry soil, attractive to butterflies, drought tolerant, rabbit resistant	sold out
baptisia australis var.	false indigo varieities	Gal	select colors avail	sold out
baptisia leucantha alba	white false indigo	Qt	white blooms, bluish stems, Jun-July, 3'-5', med to moist soil, full sun	dormant
baptisia tinctoria	yellow wild indigo	Gal	yelllow blooms, blue-green foliage, summer, sun/light shade, 3', deer resistant, drought tolerant	sold out
baptisia sphaerocarpa	large yellow wild indigo/bush pea	Gal	yellow blooms, blue-green foliage, late spring, sun, 3', drought tolerant	ready

Sheet1

blephilia ciliata	downy wood mint/horsemint	qt	tiered clusters of lavender/pink blooms, June-Aug, 1-2', sun to part shade, med to dry soils, very attractive to a wide variety of pollinators (listed in '100 Plants to Feed the Bees' from the Xerces Society), drought tolerant	plugs
blephilia hirsuta	hairy wood mint	Qt	tiered clusters of white blooms, late summer/fall, 3', part to full shade, med to moist soils, good pollinator plant	sold out
boltonia asteroides	thousand flowered/starry aster	Qt	white blooms, late summer-fall, 3-5', sun to part shade, moist to wet soils	ready
cacalia atriplicifolia	Pale Indian plantain	2 qt	White blooms, late summer/fall, 3 - 7', full to part sun, med to dry soils, purplish stems, bottom of leaves silvery	one avail
callirhoe involucrata	wine cups/poppy mallow	Gal	magenta flowers, summer, 6-8", full sun to part shade, dry to med soils, tolerant of poor/rocky soils and drought, makes a trailing groundcover, host plant for gray hairstreak butterfly and checkered skipper	sold out
campanula rotundifolia	harebell	Qt	blue blooms, June-Sept, 12"-15", sun to part shade, avg to moist soil, tolerates clay	ready
cassia (senna) hebecarpa	wild senna	Qt	yellow blooms, July-Aug, 4'-6', full sun, med to moist soil, tolerates clay soil, seed pods attract upland game birds (such as turkey)	sold out
caulophyllum thalictroides	blue cohosh	Qt	green/yellow blooms in spring turning to blue berries, blue/green foliage, 1'-2', part to full shade, medium soil	ready late April/May
chelone glabra	white turtlehead	Qt	white blooms, late summer/fall, 2'-4', full to part sun, prefers moist soil, good for rain gardens, host plant for Baltimore checkerspot butterfly	plugs
chelone lyonii	pink turtlehead	Qt	pink blooms, mid-late summer, 2'-4', sun to part shade, med to moist soil	sold out
chelone lyonii 'Hot Lips'	Hot Lips' pink turtlehead	Qt	pink flowers, late summer, 2-3', sun to part shade, med to moist soils, dark green foliage/dark stems	few left
chelone lyonii 'Tiny Tortuga'	pink turtlehead 'Tiny Tortuga'	Qt	pink blooms, late summer, 12-15", sun to part shade, moist soil	sold out
chimaphylla maculata	spotted wintergreen	Qt	white to pink blooms, late spring/early summer, 6-10", part to full shade, dry to med soil, tolerates rocky/sandy soils, evergreen foliage	ready late April/May
chrysogonum virginianum	green and gold	Qt	yellow blooms on dark green foliage, spring, 6" (ground cover), shade/part shade, moist/average soil	sold out
chrysogonum virginianum	Pierre' green and gold	Gal	yellow blooms, spring, 6-8" (ground cover), shade/part shade, moist/avg soil	ready

Sheet1

coreopsis lanceolata	Lanceleaf coreopsis	Qt	golden yellow blooms, late spring-summer, full sun, dry to moist soils, drought resistant, deer resistant, short-lived perennial that easily reseeds, important nectar/pollen source, birds eat seeds	<b>sold out</b>
coreopsis 'Gilded Lace'	Gilded Lace' tickseed	Qt	golden-yellow blooms for several weeks, summer – fall, fine textured foliage, 4-5', sun, dry to moist, attractive to pollinators, good resistance to disease, performed well in Mt Cuba plant trials	<b>sold out</b>
coreopsis 'Red Satin'	Red Satin' tickseed	Qt	red blooms, fine foliage, summer, 15-18", sun, dry to med soi	<b>sold out</b>
coreopsis rosea	tickseed 'American dream	Qt	medium pink flowers June-Aug, moist but well-drained soil, attracts butterflies	<b>sold out</b>
coreopsis 'Mercury Rising'	Mercury Rising' tickseed	Qt	velvety dark red flowers later developing white streaks, mid-summer to fall, 12-18", sun	<b>sold out</b>
coreopsis 'Moonbeam'	Moonbeam' tickseed	Qt	pale yellow flowers and fine green foliage, summer, 15", sun, med soil	<b>sold out</b>
coreopsis pal. 'Summer Sunshine'	Summer Sunshine' tickseed	Gal	golden blooms, late summer/fall, 3-4', sun, moist soils, highly rated in Mt. Cuba coreopsis trials	plugs
coreopsis 'Route 66'	Route 66' tickseed	Qt	yellow blooms with a ring of burgundy at the crown fading towards the tips, mid-summer-fall, 24", sun, med soil	<b>sold out</b>
coreopsis tinctoria	Plains coreopsis/tickseed	Qt	Yellow blooms with red centers, summer to fall, 2-4', sun, dry to med soil, tolerant of poor soils, self seeds	<b>sold out</b>
coreopsis trip. 'Gold Standard'	Gold Standard' tickseed	Gal	Yellow blooms, late summer/fall, up to 6', sun, avg to dry soil, upright form, high rating in Mt Cuba trials	<b>sold out</b>
coreopsis 'Uptick yellow and red'	Uptick yellow and Red tickseed	Gal	Yellow blooms with a dark purple/red eye, summer to early fall, 12-14", drought tolerant	<b>sold out</b>
coreopsis vert. 'Zagreb'	Zagreb' tickseed	Gal	Yellow blooms, summer, fine textured foliage, 1-2', sun, med to dry/well-drained soils, high rating in Mt Cuba trials	<b>sold out</b>
cornus canadensis	bunchberry	Plug/ Qt	white blooms in spring, red berries late summer/fall, spreads to form groundcover, part to full shade, acidic soil	<b>sold out</b>
delphinium exaltatum	tall larkspur	Gal	Violet blue blooms, Jun-Sept, 3'-6', sun to part shade, average to moist soil, attracts butterflies, cut flower	<b>dormant</b>
delphinium tricorne	dwarf larkspur	Qt	Blue to purple flowers, spring, 6-24", rich soils	ready late April/May
desmodium canadense	showy tick trefoil	2 Qt	Pink blooms, July/Aug, 3-5', sun to part shade, moist to dry soils, fixes soil nitrogen, attractive to pollinators/butterflies/hummingbirds	plugs
dicentra cucullaria	Dutchman's breeches	Qt	white-pink flowers, spring, 6-12", part to full shade, med soil	ready late April/May

Sheet1

dicentra eximia	wild bleeding heart	Qt	pale pink heart-shaped blooms on lacy blue/green foliage, spring-summer, 1'-2', part sun to shade, med to moist soil, morning sun/afternoon shade best	<b>sold out</b>
dodecatheon meadia	Shooting star	4"/Qt	white/pink/lavender blooms, spring, 1', part to full shade, med soil	a few ready
echinacea pallida	Upright prairie/pale purple coneflower	Gal	pale pink blooms appear drooping, June-July, 2'-3', full sun, drought tolerant, attracts pollinators/butterflies	<b>sold out</b>
echinacea pallida 'Hula Dancer'	Hula Dancer' pale purple coneflower	Qt	blush to almost white blooms with drooping petals and reddish cone, 2-3', sun to part shade, dry to med soils, a favorite in Piet Oudolf designs	<b>sold out</b>
echinacea paradoxa	Yellow coneflower	Qt	bright pure yellow blooms with petals drooping from brown cone, early summer, 2'-3', full to part sun, average to dry soils, finches love the seed heads	<b>sold out</b>
echinacea purpurea	purple coneflower	Qt	purple to rose pink blooms with orange cone center, July-Aug, 2'-3', full to part sun, average to dry soils, attracts pollinators, birds, butterflies	<b>sold out</b>
echinacea pur. 'Magnus'	Magnus' coneflower	Qt	purple to rose pink blooms, July-Aug, 3-4', full to part sun, avg to dry soils, good pollinator score in Mt Cuba trials	<b>sold out</b>
echinacea 'Cheyenne Spirit'	Cheyenne Spirit' coneflower	Qt	mix of colors (orange/pink/purple/white/yellow), summer, 18-24", sun, avg to dry soils, attractive to butterflies/pollinators, nice cut flower	<b>sold out</b>
echinacea 'Fatal Attraction'	Fatal Attraction' coneflower	Gal	magenta-pink blooms, late summer, 2', sun to part sun, med well drained soil, darker stems than the species, petals curve slightly upwards	<b>sold out</b>
echinacea 'Green Twister'	'Green Twister' coneflower	Qt	pink/purple/red blooms with lime green/yellow tips, mid-summer to fall, 2'-3', full to part sun, avg to dry soils, a selection of echinacea purp. 'magnus'	<b>sold out</b>
echinacea 'Green Jewel'	Green Jewel' coneflower	Gal	light green blooms, summer, 2', full to part sun, avg to dry soils	<b>sold out</b>
echinacea 'Julia'	Julia' coneflower	Gal	rose pink to orange blooms fading to soft colors, summer, 2', full to part sun, avg to dry soils, top performer in Mt Cuba trials	<b>sold out</b>
echinacea 'mellow yellows'	Mellow Yellows' coneflower	Qt	light yellow to golden blooms, mid-summer to fall, 2-3', full to part sun, avg to dry soils	<b>sold out</b>
echinacea 'Orange Skipper'	'Orange Skipper' coneflower	Gal	orange blooms, summer-early fall, 16-18", full to part sun, avg soils, drought tolerant, this cultivar is attractive to bees/butterflies	<b>sold out</b>
echinacea 'Powwow White'	Powwow White' coneflower	Qt	white blooms, summer-early fall, 1.5-2', full to part sun, avg well drained soils	<b>sold out</b>
echinacea 'Powwow Wild Berry'	Powwow Wild Berry' coneflower	Qt	rose-purple blooms with purple stems, summer, 1-2', full to part sun, avg well drained soil	<b>sold out</b>

Sheet1

echinacea 'Hot Coral'	Hot Coral' coneflower	Gal	hot orange-red flowers, summer, 20-24", sun, avg well drained soils, attractive to butterflies	<b>sold out</b>
Echinacea 'Rainbow Marcella'	Rainbow Marcella' coneflower	Gal	soft orange blooms fading to raspberry pink, summer, 18", full to part sun, avg well drained soil	<b>sold out</b>
Echinacea 'Ruby Star'	Ruby Star' coneflower	Gal	pinkish-red blooms, summer, 2-3', sun, avg well drained soils, stems of this variety often darker than most	<b>sold out</b>
echinacea 'Salsa Red'	Salsa Red' coneflower	Gal	red flowers, summer, 1.5-2', sun, avg well drained soils	<b>sold out</b>
echinacea 'Sensation Pink'	Sensation Pink' coneflower	Gal	intense, neon pink blooms on dark stems, 2-3', sun, avg well drained soils, Mt Cuba trials top performer, high pollinator attractor	<b>sold out</b>
echinacea 'Tomato Soup'	Tomato Soup' coneflower	Gal	tomato-red flowers, July-Sept, 2-3', sun, avg well drained soils, attractive to butterflies	<b>sold out</b>
echinacea 'White Swan'	White Swan' coneflower	Qt	white flowers, July-Sept, 2-3', avg well drained soils, sun	<b>sold out</b>
echinacea tennesseensis	Tennessee Coneflower 'Rocky Top	Qt	Pinkish-purple blooms, June-Sept, 2'-3', tolerant of very alkaline soils, full sun, well-drained soils, drought tolerant	<b>sold out</b>
epilobium angustifolium	fireweed	Qt	pink blooms Jul-Sep, 2'-6' tall, med/moist soil in full sun, attracts hummingbird, pollinators	<b>sold out</b>
erigeron pulchellus	Lynnhaven Carpet' robin's plantain	Qt	lavender-white fringed daisy-like flowers, gradually fading to white, spring, 12-15", part sun to shade, moist to dry soils, deer/drought tolerant, attracts pollinators/butterflies	<b>a few avail</b>
eriogonum allenii 'Little Rascal'	Little Rascal' share barren buckwheat	Plug/Q	clusters of yellow blooms, summer, 1.5-2', well-drained soils, drought tolerant, long blooming, attracts pollinators, good for rocky sites	ready small
eryngium yuccifolium	rattlesnake master	Gal	Bluish-silver blooms Jun-Sept, 4-5', prefers hot, dry sites	<b>dormant</b>
Erythronium americanum	trout lily	Qt	yellow blooms, Apr-may, 6", med/moist soil, shade/part shade	ready late April/May
eupatorium 'Bartered Bride'	Bartered Bride' joe pye weed	Gal	white blooms, late summer/fall, 6-8', sun to part shade, med to moist soil, attractive to pollinators, highly rated in plant/pollinator trials	<b>sold out</b>
eupatorium coelestinum	mist flower/hardy ageratum	Qt	blue/lavendar blooms, Sept-Oct, 2'-3', sun-shade, avg to moist soil, late season pollinator attractor, in moist soil can spread to form groundcover	plugs
eupatorium dubium	'Little Joe' joe pye weed	Gal	Mauve-pink flowers, late summer/fall, 3-4', sun to part shade, med to moist soils	<b>sold out</b>
eupatorium dubium	coastal joe pye weed	Qt	2-5' tall, 2' wide, mauve-pink blooms, mid to late summer, moist to wet soil, sun to part shade	plugs
eupatorium hyssopifolium	Hyssop leaf thoroughwort	Gal	clusters of white flowers, Aug-Sept, 2'-4', full to part sun, med to dry soils, tolerates drought, attractive to pollinators, deer resistant	<b>sold out</b>

Sheet1

eupatorium perfoliatum	Boneset	2 Qt	flat clusters of white blooms, July-Sept, 3-4', attracts butterflies, tolerant of wet and clay soils	plugs
eupatorium 'Phantom'	Phantom' Joe Pye weed	Qt	rose-purple blooms, summer, up to 4', sun to part sun, moist to avg soil, butterfly nectar plant	<b>sold out</b>
eupatorium purpureum	sweet joe pye weed	2Qt,Qt	rose-pink blooms, late summer, 4-7', sun to part shade, dry to moist soils, more tolerant of dry soils and shade than most Joe Pye weed, butterfly nectar plant	<b>sold out</b>
eupatorium 'Euphoria Ruby'	Euphoria Ruby' joe pye weed	Qt	mauve/pink flowers, mid-summer – fall, 2'-3', avg soil, full sun, attracts butterflies, earlier bloom, more compact and more drought tolerant than the straight species, high rating (4.5 out of 5, list of 'best of the best') in 2019 UGA garden trials	<b>sold out</b>
eupatorium purpurea mac.	Joe pye weed 'Gateway'	Gal	Mauve-pink flowers, July-Sept, 5'-6', full to part sun, avg to moist soil, butterfly magnet!	<b>sold out</b>
eupatorium purp. 'atropurpureum'	Joe pye weed 'Atropurpureum'	Qt, 2 Qt	mauve blooms on dark stems, late summer-fall, 6-9', sun to part shade, moist soil, butterfly nectar plant,	<b>sold out</b>
eupatorium rugosum	chocolate' joe pye/snakeroot	Qt	white blooms on bronze foliage, summer, 3'-4', sun to shade, moist to dry, plant toxic to animals/humans if ingested	<b>sold out</b>
eupatorium 'snowball'	Snowball' joe pye weed	Gal	creamy white flowers, late summer, 4-5', sun to part shade, moist soil, butterfly nectar plant	<b>sold out</b>
euphorbia corollata	Flowering spurge aka wild baby's breath	Qt	white flowers resembling baby's breath, late June – Sept, 18" tall, full sun is best, med to dry soil, deer resistant	<b>sold out</b>
filipendula rubra	queen of the prairie	gal/qt	pink blooms, 6'-8', sun, prefers moist but well drained soil	<b>sold out</b>
filipendula rubra	'Venusta magnifia' queen of pr.	gal	pink blooms, 4'-5', sun, prefers moist but well drained soil	<b>one avail</b>
fragaria virginiana	wild strawberry	Qt	white blooms, spring, followed by small edible red berries (a parent plant of the modern strawberry), sun to part shade, med soil, spreading groundcover	<b>sold out</b>
gaillardia varieties	various blanketflower	Qt	bi-color, red, peach available	<b>sold out</b>
gaultheria procumbens	Wintergreen/teaberry	Qt	white bell-shaped blooms, 3"-6", part to full shade, medium acidic soils, evergreen groundcover	<b>sold out</b>
gentiana andrewsii	Closed bottle gentian	Qt	blue blooms, late summer/fall, 1-2', med to moist soil, part shade	spring 2023
geranium maculatum	Wild geranium	Qt	pink/lavender flowers, 1-2', sun to part shade, dry to moist soil, attractive to pollinators	ready
geranium mac. Alba	White wild geranium	Qt	white flowers, 1-2', sun to part shade, dry to moist soil	ready
geranium 'Beth Chatto'	Beth Chatto' geranium	Gal	pale pink/lavender flowers, 1', sun to part shade, dry to moist, most clump forming than species	dormant
geranium 'Espresso'	Espresso' wild geranium	Gal	same as species (above), but with dusky brown foliage	<b>sold out</b>
geum triflorum	Prairie smoke	Qt	feathery pink blooms, late spring, 3-6", full sun, dry to med soil, nice choice for rock garden	a few ready

Sheet1

goodyera pubescens	downy rattlesnake orchid/plantain	Qt	white/greenish white blooms, summer, 1-2', part to full shade, medium to dry soils, evergreen foliage	ready May
helenium autumnale	Common sneezeweed	Gal	yellow flowers, late summer/early fall, 3-5', med to moist soils, sun to part shade, one of the higher rated heleniums in Mt Cuba plant trial, attracted highest number of pollinators	ready
helenium autumnale 'Helena Red Shades'	Helena Red Shades' sneezeweed	Qt	russet red to red with yellow blooms, mid-summer to fall, 4', sun to part shade, wet to avg soils, attractive to native pollinators and butterflies, unpalatable to mammals	plugs
helenium flexuosum	purple-headed sneezeweed	Qt	yellow reflexed petals with brownish-purple center cone, late summer-fall, 2-5', moist to wet soil	sold out
helenium 'Siesta'	Siesta' sneezeweed	Qt	red flowers, late summer, 18-20", wet to avg soils	sold out
helenium 'Potter's Wheel'	Potters Wheel' sneezeweed	Qt	velvety-red flowers, late summer/fall, 3-4', wet to avg soils, full sun	sold out
helenium 'Dakota Gold'	Dakota Gold' sneezeweed	Qt	yellow flowers, summer to fall, 8-14", dry to med soils, full sun	sold out
helenium	sneezeweed 'Mardi Gras'	Qt	red/yellow/orange blooms, June-Aug, 2'-3', full sun, moist but well drained soil, adapts to avg garden soil well	sold out
helianthus angustifolius	swamp sunflower	Qt	yellow flowers, late summer/fall, 5-7', sun to part shade, med to moist soil	sold out
helianthus decapetalus	Ten-petaled Sunflower	Gal	yellow daisy-like flowers, summer, 5', full sun to part shade, best in moist sites, adaptable, attractives to pollinators/butterflies	sold out
helianthus grosseserratus	sawtooth sunflower	Qt	yellow blooms, late summer/fall, 3-12', sun, moist soil, birds enjoy seeds, attracts pollinators, checkspot larval host	ready soon
helianthus mollis	ashy sunflower	Qt	yellow blooms, hairy gray-green leaves/stems, summer, 2-4', sun, dry to med soil, birds enjoy seeds	ready soon
helianthus multiflorus	perennial sunflower 'flore pleno'	Qt	yellow blooms, summer/fall, 4'-6', full sun, average soil	special order only
helianthus occ. Dowelianus	naked stemmed sunflower	Qt	yellow blooms on long slender (sometimes reddish) stems, late summer-fall, 2-4', full sun, tolerant of dry, rocky, clay soils, deer resistant, attracts butterflies/pollinators, birds eat seeds, good cut flower, eastern subspecies	ready soon
helianthus salic. 'First Light'	'First Light' willowleaf sunflower	Gal	yellow blooms, Sept-Oct, 3-4', full sun, med soil	sold out
helianthus salic. 'Low Down'	'Low Down' willowleaf sunflower	Gal	yellow blooms, late summer/fall, 12", full sun, med soil	sold out
helianthus strumosus	woodland/paleleaf sunflower	2 Qt	yellow blooms, Aug—Oct, 3'-5', sun to part shade (often grows along woodland edge/dappled shade), dry to medium soil, attracts pollinators/butterflies, deer resistant, birds love the seeds	sold out
heliopsis helianthoides	Smooth oxeye/false sunflower	Qt	yellow blooms, June-Aug, 4-5', sun to part shade, med to moist soils, attracts butterflies, birds eat seeds in fall	plugs

Sheet1

heliopsis hel.	Smooth oxeye 'Summer Sun'	Qt	yellow semi-double blooms, July-Sept, 3'-4', full sun, moist well drained soil, but drought tolerant when established	ready
heliopsis hel.	Smooth oxeye 'Summer Nights'	Gal	yellow blooms with reddish centers and red stems, late summer, 3-4', full sun, med to moist soils	<b>sold out</b>
heliopsis hel.	Smooth oxeye 'Bleeding Hearts'	Qt	ready blooms fading to orange, dark foliage, 3-4', sun, avg to moist soil	<b>sold out</b>
heliopsis hel.	Smooth oxeye 'Burning Hearts'	Qt	yellow flowers with orange centers and dark purple foliage, summer, 3-4', sun to part shade, moist to avg soil, drought tolerant once established, attractive to butterflies and bees	<b>sold out</b>
heuchera americana	Coral bell	Qt	pinkish-green flowers, late spring, 12", part to full shade, well-drained soils, foliage slightly ruffled and veined, turning red in fall, hummingbirds	plugs
heuchera x	heuchera cultivars	Qt/Gal	various	ready
heuchera villosa	Hairy coral bell/alumroot	Qt	Creamy-white flower spikes, late summer-frost, 1-2', shade to sun, moist to dry soils	<b>sold out</b>
heuchera 'Autumn Bride'	Coral bell 'Autumn Bride'	Qt	Creamy-white flower spikes, late summer-frost, 2', shade/part shade, med/well-drained soil	plugs
heuchera sang. 'Bressinghams'	Bressinghams' coral bells	Qt	pink, salmon or red blooms, spring to summer, 1-2', shade/part shade, med, well-drained soil	a few left
hibiscus laevis	rose mallow	Gal	hardy native hibiscus, light pink flowers with dark throat, late summer, 3-6', moist, sunny sites, good for rain garden/wet areas	<b>sold out</b>
hibiscus moscheutos	Disco Belle Red' hibiscus	2Qt	large red blooms, 4-12" across, late summer, 2 – 2.5' tall, full sun, rich moist to wet soils, attracts pollinators/hummingbirds	<b>sold out</b>
hibiscus varieties	hardy hibiscus	1 gal	various	<b>sold out</b>
iris cristata	dwarf crested iris	Qt	lavender-blue blooms, late spring, 6", part to full shade, med to moist soil	ready
iris cris. 'Alba'	Dwarf crested iris 'Alba'	Qt	White flowers with yellow crest, spring, 6-8", sun to shade, med to moist soils, spreads to form groundcover	<b>sold out</b>
iris cris. 'Tennessee White'	Dwarf crested iris 'Tenn White'	Qt	White flowers with yellow crest, spring, 6-8", sun to shade, med to moist soils, spreads to form groundcover	ready
jeffersonia diphylla	Twinleaf	Qt	white flowers in spring, interesting foliage, up to 1.5', shade to part shade, med to moist soils	<b>sold out</b>
lespedeza virginica	slender bush clover	Qt	pink flowers, late summer, 2', sun to part shade, med to dry soils, attracts pollinators, birds eat seeds	dormant
liatris ligulastylis	Meadow blazingstar	Qt	Pink to purple blooms, mid to late summer, 3-5', full sun, med to moist soils, a monarch magnet (and many other butterflies)	<b>sold out</b>
liatris microcephala	dwarf blazing star	Qt	Purple blooms, Aug-Sept, 18-24", full to part sun, avg to dry soil, attractive to butterflies	breaking

Sheet1

liatris scariosa	Savanna blazing star	Qt	purple blooms, late summer-fall, 3-5', full sun to part shade, moist to dry soil	plugs
liatris spicata	spike gayfeather	Qt	Pinkish-purple spikes, July-Aug, 3'-5', avg to moist soil, attracts wide variety of butterflies/pollinators	ready
liatris spicata 'Floristan white'	Floristan white' gayfeather	Qt	White spikes, summer, 2-3', sun, avg to moist soils, attractives butterflies/pollinators, nice cut flower	ready
liatris sp. 'Kobold'	Kobold' gayfeather	Qt	Purple spikes, summer, 1-2', avg to moist soils, more compact than species	<b>sold out</b>
lilium superbum	Turk's cap lily	Qt	orange blooms with maroon spots, mid summer, 4-7', sun, med to wet soils, part shade, attracts hummingbirds	one avail
lobelia cardinalis	cardinal flower	Qt	Red blooms, July-Sept, 2'-4', sun to shade, prefers moist soil, attracts hummingbirds	plugs
lobelia cardinalis	cardinal flower 'Black Truffle'	Gal	red blooms and burgundy foliage, July-Sept, 3'-4', sun to part shade, prefers moist soil, attracts hummingbirds	<b>sold out</b>
lobelia siphilitica	Great Blue Lobelia	Qt	blue-violet blues, July-Sept, 2'-3', sun to part shade, prefers moist soil – attracts butterflies and hummingbirds	plugs
lysimachia ciliata	Fringed loosestrife 'firecracker'	Qt	yellow blooms, summer, 2'-3', sun, new foliage maroon turning greener later in summer	<b>sold out</b>
lysimachia lanceolata purp	Lanceleaf loosestrife	Gal	yellow blooms, 1-2', sun to part shade, med to moist soils, foliage has hints of burgundy	<b>sold out</b>
meehania cordata	Meehan's mint	Qt	Blue-violet blooms, late spring, 6"-10", full shade to part sun, dry to moist soil, groundcover, good native substitute for ajuga	<b>sold out</b>
mertensia virginiana	Virginia bluebells	Qt	pink buds forming blue flowers, early spring, 8"-2', part to full shade, moist soils, good early pollinator plant, foliage dies back in summer	dormant
mitschella repens	Partridgeberry	4"	evergreen groundcover, small white flowers spring, red berries, 3", full to part shade, med soils	ready soon
monarda 'balmy purple'	balmy purple' beebalm	Qt	violet-purple blooms, summer, 12", med to moist soils, good powdery mildew resistance	<b>sold out</b>
monarda 'bee merry'	Bee Merry' beebalm	Gal	magenta blooms, summer, 12-15', good powdery mildew resistance	<b>sold out</b>
monarda 'coral reef'	Coral reef' beebalm	Gal	coral pink flowers, summer, 3', med to moist soils	<b>sold out</b>
monarda 'fire ball'	Fire ball' beebalm	Qt	red, summer, 24-30", med to moist soils	<b>sold out</b>
monarda bradburiana	Bradbury's/Eastern bee balm	Gal	pale pink blooms speckled w/ purple, late spring, 1'-2', sun to part shade, dry to avg soil, attracts pollinators/hummingbirds	plugs
monarda didyma	bee balm	Qt	<b>the straight species</b> , red blooms summer, 2-4', sun to part shade, med to moist soils, attracts hummingbirds/pollinators, aromatic foliage, not browsed by mammals	plugs
monarda didyma	Bee balm 'Marshall's delight'	Qt	Rose-pink flowers, summer, 3', sun to part shade, average to moist soils, attracts butterflies, pollinators, hummingbirds	<b>sold out</b>

Sheet1

monarda didyma	Bee balm 'Blue Stocking'	Qt	Deep violet blooms, Jun-July, 2'-3', sun to part shade, avg to moist but well-drained soil, attracts butterflies/pollinators/hummingbirds	<b>sold out</b>
monarda didyma	Bee balm 'Gardenview Scarlet'	Qt	Red blooms, mid to late summer, 2'-3', sun to part shade, avg to moist but well-drained soil, better resistance to mildew	<b>sold out</b>
monarda 'Jacob Cline'	Bee balm 'Jacob Cline'	Gal	red blooms, mid to late summer, 3-5', sun to part shade, avg to moist soils	<b>sold out</b>
monarda raspberry wine	Raspberry Wine' beebalm	Qt	wine red flowers, 3-4', sun to part shade, avg to moist soils, good mildew resistance	<b>sold out</b>
monarda didyma	Bee Balm 'Purple Rooster'	Gal	Purple blooms, June-July, 3-4', sun to part shade, moist to dry soils, attractive to wide variety of pollinators/butterflies, drought tolerant, 'Purple Rooster' reported as mildew free in Mt Cuba trials	<b>sold out</b>
monarda didyma	Bee balm ' White'	Qt	White blooms, July, 2'-3', sun, avg to moist but well-drained soil, attracts butterflies/pollinators/hummingbirds	<b>sold out</b>
monarda fistulosa	wild bergamot	Qt	Lavendar blooms, late summer, 2'-5', full to part sun, dry to moist soil, drought tolerant, aromatic foliage, attracts bees, butterflies, hummingbirds, more resistant to powdery mildew than most	plugs
monarda media	Purple bergamot	Qt	Red/purple/pink blooms (varies), July, 2-3', avg to moist soil, sun to part shade, attracts butterflies/hummingbirds/pollinators	a few avail
monarda punctata	horsemint/spotted bee balm	Gal	purple spotted flowers atop stems with pink/lavender/cream bracts, 1-3', sun, moist to dry soils, attractive to pollinators/butterflies/hummingbirds, deer/rabbit resistant	plugs
monarda 'Pardon My Cerise'	Pardon My Cerise' bee balm	Gal	cherry pink blooms, summer, 14-18", sun, avg to moist soil	<b>sold out</b>
monarda 'Pardon My Purple'	Pardon My Purple' bee balm	Gal	fuchsia purple blooms, summer, 10-12", sun, avg to moist soil	<b>sold out</b>
oenothera fruticosa	narrowleaf evening primrose	Qt	red flower buds followed by bright yellow flowers, summer, 1-3', sun to part shade, dry to moist soil, attractive to pollinators and hummingbirds, songbirds eat seeds	<b>sold out</b>
oenothera fruticosa	Fireworks' evening primrose	Qt	red buds lead to yellow blooms on red stems, late spring-summer, 15-18", sun, dry to avg soil	plugs
opuntia humifusa	prickly pear cactus	Cut.	yellow blooms, spring/summer followed by pinkish red fruits, spreads along ground, sun, dry to avg well-drained soil	ready
pachysandra procumbens	Allegheny spurge	Qt	white bottlebrush flowers, early spring, 6-12", part to full shade, med soil, gradually spreads to form a groundcover, drought tolerant once established	<b>sold out</b>

Sheet1

packera obovata	roundleaf ragwort	Qt	yellow daisy-like blooms, Apr – June, 1'-2', sun to part shade, med to wet soils, foliage semi-evergreen, tinged with burgundy at time, good ground cover	<b>sold out</b>
parthenium integrifolium	wild quinine	Qt	white flower clusters, 3'-5', summer-fall, full sun, dry to medium soils	plugs
paxistima canbyi	Canby's mountain lover/cliffgreen	Qt	evergreen groundcover, small green flowers, May, 6-12", sun to part shade, good for rocky slopes	a few ready
pedicularis canadensis	Canadian wood betony	Qt	reddish/violet with yellow blooms, 12", Apr-May, full to part sun, med to dry soil, well drained best, attractive to bumblebees	<b>sold out</b>
penstemon calycosus	Calico penstemon	Qt	pale lavender to white tubular blooms, late spring/early summer, 2'-3', part shade, avg soil, attracts wide variety of pollinators/hummingbirds, tolerant of alkaline soils	plugs
penstemon digitalis	beardtongue	Gal	white to pink blooms, late spring/early summer, 3'-4', full sun to part sun, average to dry soil, drought tolerant, attracts bees/butterflies/hummingbirds	<b>sold out</b>
penstemon digitalis	beardtongue 'husker red'	Qt	pale pink/white blooms late spring/early summer, reddish-green foliage, 2-3',sun/part shade, average soil, attracts hummingbirds	ready
penstemon 'Dark Towers'	Dark Towers' beardtongue	Qt	pale pink/white blooms late spring/early summer, very dark maroon foliage, 2-3',sun/part shade, average soil, attracts hummingbirds	ready
penstemon 'Blackbeard'	Blackbeard' beardtongue	Gal	pale pink blooms, late spring, dark foliage, 3', sun/part shade, avg soil, attracts hummingbirds/bumblebees	<b>sold out</b>
penstemon 'Onyx and Pearls'	Onyx and Pearls' beardtongue	Gal	pale lavender to white blooms, late spring/early summer, 3-4', sun/part shade, avg soil, dark foliage (near black when mature),	<b>sold out</b>
penstemon hirsutus	hairy beardtongue	Qt	pale purple flowers, May-June, 12-18", sun to shade, moist to dry soils, attractive to bumblebees, butterflies and hummingbirds	a few avail
penstemon hir. 'Pygmaeus'	hairy beardtongue 'Pygmaeus'	Qt	pale pink/lavender/white blooms, late spring/early summer, 6", sun to part shade, med soil, good drainage, attracts hummingbirds/bumblebees, compact size for front of border	<b>sold out</b>
penstemon smallii	Small's penstemon	Qt	lavendar/pink blooms, summer, 1'-2', sun/part shade, average soil, attracts hummingbirds, bees, butterflies	ready
penstemon tubaeiflorus	white wand beardtongue	Qt	white flowers, late spring/summer, 1-3', sun/part shade, avg to dry soil, attracts hummingbirds, bees	ready
phlox carolina	phlox 'Minnie Pearl'	Qt	white blooms, early summer, 1-2', sun to part sun, med soil, good resistance to powdery mildew	<b>sold out</b>

Sheet1

phlox carolina	thickleaf phlox 'Kim'	Qt	pinkish/purple blooms, summer, 1'-2', sun to part shade, avg to moist soil, good resistance to powdery mildew	<b>sold out</b>
phlox divaricata	wild blue phlox	Qt	pink/white/lavendar blooms Apr-May, 8"-12", part shade, moist soil, attracts butterflies, fragrant	plugs
phlox divaricata	woodland phlox 'blue moon'	Qt	violet blue blooms Apr-May, 12"-18", part shade, moist soil, attracts hummingbirds, pollinators	ready
phlox divaricata	woodland phlox 'chattahoochee'	Qt	light violet blue blooms with magenta centers, Apr-May, 12-18", part shade, moist soils	ready
phlox divaricata	woodland phlox 'may breeze'	Qt	light blue to white blooms Apr-May, 10"-12", part shade, moist soil, attracts hummingbirds, pollinators	ready
phlox glaberrima	Morris Berd' smooth phlox	Qt	bright pink flowers, late spring/early summer, 2-3', sun to part shade, moist to dry soil, excellent disease resistance, nice maroon foliage in fall, good rating in Mt Cuba and Chicago Botanic Garden Trials, similar to phlox paniculata but more compact, narrower foliage	a few avail
phlox maculata	wild sweet william/meadow phlox	Qt	pink-violet blooms, late summer to fall, 2-3', sun to part shade, moist soils, fragrant, spreads gradually, attracts butterflies, good powdery mildew resistance	a few ready
phlox paniculata	garden phlox 'Jeana'	Qt	lavendar/pink fragrant blooms, June to late summer, 3'-5', avg to moist soil, good resistance to powdery mildew, butterfly magnet	plugs
phlox pan. 'Blue Paradise'	phlox 'Blue Paradise'	Gal	pale blue to deep violet blooms, summer, 2-3', sun/part shade, med to moist soil, attracts butterflies	<b>sold out</b>
phlox stolonifera	Creep. Phlox 'Blue Ridge'	Qt	lavender-blue blooms, late-spring to early summer, 6-8", med to moist (but well-drained) soil, part to full shade, attractive to butterflies/hummingbirds, drought tolerant once established, can gradually spread to form groundcover	<b>sold out</b>
phlox stolonifera	Creep. Phlox 'Home Fires'	Qt	Deep pink flowers starting in Apr, 6-10", shade to part shade, moist well-drained soil, attracts butterflies/pollinators	<b>sold out</b>
phlox stolonifera	Creep. Phlox 'Sherwood Purple'	Qt	Purplish-blue flowers starting in Apr, 6-10", shade to part shade, moist well-drained soil, attracts butterflies/pollinators	ready
phlox subulata	Moss phlox	Qt	groundcover phlox with semi-evergreen foliage, spring, sun to part shade, well-drained soil, tolerates poor soils, several varieties available	ready
physostegia virginiana	obedient plant	Qt	pink flowers spikes bloom late summer/fall, 3'-4', full sun, tolerates wet clay soil, but fine in average soil, can spread if happy	<b>sold out</b>
physostegia virginiana	obedient plant 'miss manners'	Qt	white flower spikes bloom late summer/fall, 2'-2.5', full sun, medium soil, tolerates moist, less aggressive	<b>sold out</b>

Sheet1

podophyllum peltatum	Mayapple	Qt	white blooms, Apr-May, 1-1.5', part to full shade, med soil, edible fruit after flowering	ready late April/May
polemonium reptans	Jacob's ladder	Gal	light blue flowers, late spring, 12"-18", shade/part sun, average to moist soil, forms groundcover	plugs
polemonium reptans 'Stairway to Heaven'	Stairway to Heaven' jacob's ladder	Gal	same as above, but with variegated foliage	<b>sold out</b>
polemonium reptans 'Touch of Class'	Touch of Class' jacob's ladder	Gal	whiter variegation, pinker buds	<b>sold out</b>
polygonatum bi. commutatum	great solomon's seal	Gal	greenish-white bell-shaped flowers, late spring, 2-4'+, part to full shade, med to moist soils	<b>sold out</b>
porteranthus trifoliatum	Bowman's root/Indian physic	Gal	White-pink blooms on red stems, late spring/early summer, 2'-3', shade to part sun, bronze-red fall foliage	<b>dormant</b>
prunella vulgaris	Magdalena' self heal	Qt	purple blooms, summer to fall, 6", avg to moist soils, sun to part shade, attracts bees and butterflies	<b>dormant</b>
pycnanthemum flexuosum	Appalachian mountain mint	Gal	Silver-white blooms, late summer/fall, 2'-3', full to part sun, moist to dry soil, more clump forming than most mountain mints, nice fall foliage color, host plant for gray hairstreak, attracts pollinators	<b>sold out</b>
pycnanthemum incanum	Hoary mountain mint	Qt	clusters of lavender to white flowers, late summer, 3'-4', sun to part shade, average well-drained soil, aromatic foliage with silver tinge, very attractive to wide variety of pollinators	plugs
pycnanthemum muticum	Short toothed/clustered mountain mint	Qt	silver bracts with light pink blooms, late summer, 2'-3', full sun to full shade, moist to dry soil, aromatic foliage, nice in arrangements – attracts bees and butterflies	<b>a few avail</b>
pycnanthemum pilosum	Hairy mountain mint	Qt	fuzzy white blooms, late summer/fall, 1-3', sun to part shade, dry to medium soil, silvery-green foliage, attractive to numerous pollinators, deer/rabbit resistant	<b>one avail</b>
pycnanthemum tenuifolium	narrowleaf mountain mint	Qt	white blooms, mid-late summer, 2'-3', sun to part shade, dry to medium soil, fragrant, attracts pollinators	ready
pycnanthemum virginianum	American mountain mint	Qt	white blooms, July-Sept, 2-3', full sun, wet to dry soil, aromatic foliage, attracts numerous pollinators	<b>a few avail</b>
ratibida pinnata	gray headed coneflower	Qt	yellow blooms with prominent center cone, late summer, 2-5', full sun, moist to dry	plugs
rudbeckia fulgida v. deamii	Deam's coneflower	Qt	yellow blooms, 3', summer, full sun, average soil, attractive to pollinators, seed heads attractive to birds	<b>sold out</b>
rudbeckia hirta	black eyed susan	Qt, 2	yellow blooms, summer, 2'-3', sun to part shade, average soil, can be short-lived/biennial, but reseeds	<b>sold out</b>
rudbeckia hirta	varieties	Qt	varieties with brown/maroon centers	<b>sold out</b>
rudbeckia laciniata	cutleaf coneflower	Qt	yellow blooms, Aug-Sept, 5'-8', full to part sun, average to moist soil, attracts butterflies and birds, nice cut flower, pretty with ironweeds	ready

Sheet1

rudbeckia maxima	great coneflower	Qt	yellow flowers with dark cones July-Sept, blue/green foliage, 6'-8', full sun, dry to medium soil	dormant
rudbeckia subtomentosa	sweet coneflower 'Henry Eilers'	Qt	yellow quilled flowers, Aug-Sept, 4-5', moist-average soil, drought tolerant when established	sold out
rudbeckia subtomentosa	sweet coneflower 'little Henry'	Gal	yellow quilled flowers, Jul-Sept, 3', moist-average soil, drought tolerant when established	dormant
rudbeckia triloba	Three lobed coneflower	Qt	yellow blooms, July-Sept, 3', sun, good for moist areas but tolerant of dry sites as well	sold out
rudbeckia triloba 'Blackjack Gold'	Three lobed coneflower 'Blackjack Gold'	Gal	yellow blooms with dark centers/stems, 3', sun, longer lived than the species, longer bloom time	sold out
rudbeckia tri. 'Little Charm'	Little Charm' three lobed coneflower	Gal	yellow blooms, 3', sun, long blooming variety	sold out
rudbeckia 'Viette's little suzy'	Viette's Little Suzy' black eyed susan	Qt	yellow flowers w/ dark centers, summer-fall, 15-18", sun/part shade, a more compact form of black-eyed susan	ready
rudbeckia 'American Gold Rush'	American Gold Rush' black-eyed susan	Qt	yellow blooms, summer to fall, 18-24", full/part sun, compact form, good disease resistance	sold out
salvia azurea	Blue sage	Qt	sky blue blooms, late summer, 5', sun, med to dry soil, aromatic foliage, attractive to pollinators/butterflies, good native substitute for Russian sage	sold out
salvia lyrata	Lyre-leaf sage - straight species	Qt	white to periwinkle blooms, 1-2', late spring/summer, medium soils, pollinators/hummingbirds	plugs
salvia lyrata	Purple knockout' Lyre-leaf sage	4"	maroon foliage, white/lavendar blooms, 1', sun to part shade, moist to dry	sold out
sanguinaria canadensis	Bloodroot	Qt	white flowers, yellow centers, early spring, moist, shade	ready late April/May
sanguisorba officinalis	greater burnet	Gal	dark red to maroon-purple blooms, summer, 2-3', sun, med soil, deer resistant, unusual foliage, attracts songbirds/pollinators/butterflies, nice addition to cut arrangements	sold out
scrophularia marilandica	late figwort	Gal	small reddish-green blooms, late summer/fall, 6', sun to part sun, med to dry, attractive to hummingbirds/pollinators	sold out
scutellaria incana	hoary skullcap	Qt	Voilet-blue blooms, summer, 2'-4', full to part sun, avg to dry soil, tolerates clay soil, attracts butterflies	plugs
sedum ternatum	woodland stonecrop	Plug	Larinem Park', white blooms late spring/summer, 2"-6", full to part shade, moist/average soil, good groundcover for shade	plugs
senecio aureus	golden ragwort (aka packera aurea)	Gal	yellow blooms Mar-May, 12"-15" tall, full sun to shade, dry to moist, early pollinator plant	plugs, gals
silene caroliniana	wild pink 'short and sweet'	Qt	pink blooms May-Jun, 6"-8", sun to part shade, med to dry soil, attracts hummingbirds/butterflies, native subst for dianthus	sold out

Sheet1

silene virginica	fire pink	Qt	scarlet red blooms spring, 12"-20", part shade, moist good drainage, found on rocky wooded slopes in open woods	<b>sold out</b>
silphium mohrii	Mohr's rosinweed	Gal	pale yellow blooms, mid sum - fall, 2-5', sun to part shade, med to dry soil, does well in rocky sites, a slightly more compact and drought tolerant silphium	<b>sold out</b>
silphium perfoliatum	Cup plant	2Qt and Gal	Yellow daisy-like blooms, July-Oct, 6-8', sun, med to wet soils, large leaves form 'cups' that collect water for birds, frogs and other wildlife	<b>sold out</b>
Sisyrinchium ang. 'Suwannee'	Suwannee' Blue Eyed Grass	Gal	sky blooms blooms, spring into summer, 8-10", moist to dry soils, sun to part shade, grass-like foliage, groundcover	<b>sold out</b>
Sisyrinchium ang. 'Lucerne'	Lucerne' blue eyed grass	Qt	violet-blue flowers, spring into summer, 8-10", moist to dry soils, sun to part shade, grass-like foliage	ready
Sisyrinchium 'Moody Blues'	Moody Blues' blue eyed grass	Qt	violet-blue flowers, spring to summer, 8-10", moist to avg, sun to part shade, grass-like foliage	<b>sold out</b>
smilacina racemosa	False Solomon's seal	Qt	ivory flower plumes, late spring, followed by red berries, 1-3', part to full shade, med to moist soils	<b>sold out</b>
solidago caesia	Bluestem/wreath goldenrod	Gal	yellow blooms on arching blue-green stems, late summer/fall, full to part shade, dry to med soils, tolerant of rocky soils, clay, slopes	<b>sold out</b>
solidago flexicaulis	Zigzag Broadleaf goldenrod	Qt	yellow blooms late summer/fall, 1-3', a woodland variety of goldenrod, best in dappled shade, attracts pollinators	<b>sold out</b>
solidago graminifolia	grass-leaved goldenrod	Qt	flat-topped clusters of golden-yellow flowers, fine textured foliage, late summer/fall, 3-4', sun to part shade, med to moist soil, attractive to butterflies/pollinators, a variety of birds eat the seeds, nice cut flower	a few avail
solidago juncea	Early goldenrod	Qt	2-4' tall, 2-3' wide, yellow flower panicles on arching stems, blooms July-Aug, moist to dry soil, sun to part shade	a few avail
solidago 'Little Lemon'	'Little Lemon' goldenrod	Qt	compact goldenrod, lemon-yellow blooms, 8"-14", good choice for fall containers	<b>sold out</b>
solidago odora	Sweet goldenrod	Qt	yellow blooms, late summer/fall, 2-4', sun to part shade, tolerant of dry soil, clump forming (not as aggressive as other goldenrods), also called anise-scented goldenrod	plugs
solidago rigida	Stiff goldenrod	Qt	yellow blooms, gray/green foliage, late summer/fall, 2'-5', full sun, moist to dry	<b>sold out</b>
solidago rigida 'Golden Rockets'	Golden Rockets' stiff goldenrod	Qt	yellow blooms, fall, 2', sun, tolerant of poor dry soil	<b>sold out</b>
solidago rugosa	'Fireworks' goldenrod	Gal	yellow blooms, late summer/fall, 3'-4', full to part sun, avg soil, attracts late season pollinators, nice with asters	ready

Sheet1

solidago sempervirens	seaside goldenrod	Gal	yellow blooms, late summer/fall, 3-5', sun, avg soil, tolerant of a range of conditions (dry, wet, salt, etc), nice semi-evergreen foliage	ready
solidago shortii	'Solar Cascade' goldenrod	Qt	yellow blooms, late summer/fall, 2'-3', full to part sun, average soil, drought tolerant once established, late season pollinator plant, not as aggressive as many other goldenrods	<b>sold out</b>
solidago speciosa	Showy goldenrod	2 Qt	2-3' tall and wide, pyramidal yellow/gold blooms, reddish stems, late summer to fall, moist to dry, sun to part shade	<b>sold out</b>
solidago sph. 'Golden Fleece'	Golden Fleece' goldenrod	Gal	Yellow blooms, late summer-fall, 1-1.5', full sun, dry to med soil, more compact and mounding habit than most goldenrods	ready
spigelia marilandica	Indian pink	Qt	red w/ yellow blooms, 12"-18", summer, part sun/shade, moist soil	ready May
stokesia laevis	Stokes' aster	Gal	lilac-blue flowers, summer, 18", sun, med to moist but well-drained soils	dormant
stokesia 'Color Wheel'	Color Wheel' aster	Gal	white flowers changing to lavender then blue/purple, 12-18", sun, med to moist well-drained soils	<b>sold out</b>
stokesia laevis 'Divinity'	Divinity' Stokes' aster	Gal	white blooms with pale yellow centers, 1-1.5', sun, med to moist but well-drained soil, avoid wet winter sites	<b>sold out</b>
stokesia 'Peachies Pick'	Peachies Pick' stokes' aster	Qt	lilac-blue blooms, summer, 12", sun, med to moist well drained soils	<b>sold out</b>
stylophorum diphyllum	wood/celandine poppy	Qt	golden yellow blooms Apr – Jun, 12"-15", shade, moist soil, attracts butterflies/pollinators	ready late April/May
thalictrum dasycarpum	tall/purple meadow rue	Qt	cream blooms on purple stems, late spring, 6', full to part sun, med to wet soil,	ready
thermopsis caroliniana	Carolina lupine	Gal	yellow blooms, June, 3'-4', full sun, avg soil	ready
tiarella cordifolia	foamflower	Qt	White/light pink blooms, 12"-18", full to part shade, moist to average soils, can spread to form groundcover in these conditions	plugs
tiarella cordifolia	Brandywine' foamflower	Qt	creamy white flowers, 12-18", full to part shade, moist to avg soils, leaves have dark veining	<b>sold out</b>
tiarella cordifolia	New Moon Motley' foamflower	Qt	white flowers, spring, 8-12", part to full shade, med to moist soils, this variety has a mix of leaf shades and dark variegation on the leaves	plugs
tiarella wherryi	Wherry's foamflower	Qt	white blooms, spring, 10", part to full shade, moist soil	<b>sold out</b>
tiarella 'Running Tapestry'	Running Tapestry' foamflower	Gal	white blooms, spring, 12-15", part to full shade, med to moist soil, running groundcover, dissected heart shaped foliage	ready soon
tradescantia 'Sweet Kate'	Sweet Kate' spiderwort	Gal	purple flowers, chartreuse foliage, late spring/summer, 18", best with afternoon shade to prevent scorching	ready soon
trandescantia ohioensis	Ohio spiderwort	Qt	blue-violet blooms, late spring to summer, 2-4', part to full sun, moist to dry soils	a few ready

Sheet1

trillium	trillium (varieties)	Qt	various varieties - grandiflora (white), nodding, red, yellow, prairie, beige	ready late April/May
uvularia grandiflora	Bellwort	Qt	pale yellow blooms, mid spring, 1-2', part to full shade, med soil	<b>sold out</b>
verbena canadensis 'Homestead purple'	Homestead Purple' verbena	Qt	deep purple blooms, late spring and summer, spreading/trailing habit, 15", sun, dry to med soil, good for containers	ready
verbena hastata	blue vervain	Qt	purple blooms, July/August, 4'-6', full sun, moist to wet soil, attracts butterflies	<b>sold out</b>
vernonia altissima	Tall ironweed	Gal	purple blooms, late summer, 5-8', sun to part sun, moist to wet soils, one of the tallest and showiest ironweeds	<b>sold out</b>
vernonia glauca	Upland Ironweed	Qt	purple blooms, Aug-Sept, 3-5', sun to part shade, moist to dry soils, attractive to wide variety of pollinators/butterflies, drought tolerant	<b>sold out</b>
vernonia lettermannii	'Iron butterfly' ironweed	Gal	purple blooms, late summer-fall, 2-3', full sun, avg soil, fine-textured foliage, more tolerant of dry sites than most ironweed	dormant
vernonia noveboracensis	New York ironweed	Gal	purple blooms, late summer, 4'-7', full sun, moist to dry soil, but found naturally in moist soils – attracts butterflies, striking in mass mixed with yellow flowers (solidago, rudbeckia, etc)	plugs
vernonia 'Southern Cross'	Southern Cross' ironweed	Gal	purple blooms, late summer/fall, 2.5-3', sun, dry to med soil, attracts butterflies/pollinators, a drought tolerant ironweed	<b>sold out</b>
vernonia 'Summer's Swan Song'	Summer's Swan Song' ironweed	Gal	purple blooms, late summer/fall, 2-3', sun, dry to med soil, attracts butterflies/pollinators	dormant
veronicastrum virginicum	Culver's root	Gal, Qt	white flower spikes, Jun-Aug, 4'-6', prefers moist soils but tolerates drought once established	<b>sold out</b>
veronicastrum virginicum	Culver's roots varieties	Gal	Roseum (pink) and Apollo (pale lavender)	dormant
viola pedata	Bird foot's violet	Qt	lilac-purple blooms, spring, 3-6", sun to part shade, tolerant of dry, rocky soils, butterfly host plant, avoid over crowding and wet sites, attracts pollinators/small butterflies, host plant for fritillary butterflies	<b>sold out</b>
viola striata	stiped cream violet	Qt	cream colored flowers with some purple stripes on lower petal, spring-summer, 8-12", moist soils, part to full shade, deer resistant, ground cover	<b>sold out</b>
Waldsteinia fragarioides	barren strawberry	Qt, 2 Q	yellow blooms early to late spring, 3-6" high, spreading groundcover, full sun to part shade	<b>sold out</b>
xanthorhiza simplicissima	yellowroot	Qt	Star-shaped maroon blooms, spring, 2-3', considered woody perennial or sub-shrub, part to full shade, med to wet soil, spreads to form groundcover, attractive fall color, shades of yellow/red/purple	a few ready

yucca filamentosa	Color Guard' yucca	Gal	creamy white flowers, summer, 3-6', sun, dry to med soils, gold foliage with green edges, has some pink coloration in fall	<b>sold out</b>
zizia aptera	heart-leaved alexander	Qt	yellow blooms, late spring/early summer, 1-3', sun to part shade, moist to dry sites, swallowtail host plant	ready May
zizia aurea	golden alexander	Qt/Gal	yellow blooms May-Jun, 2'-3', part shade, med to moist soil, attracts pollinators/butterflies, larval host to Black Swallowtail	plugs
<b>Vines</b>				
Aristolochia durior	Dutchman's pipe/pipevine	Gal	Maroon-green pipe-shaped blooms, late spring, can reach 30', large heart-shaped leaves, good for shade on trellis, host plant for pipevine swallowtail	ready May
celastrus scandens	American bittersweet 'Indian Mix'	Gal	Small white flowers followed by orange-red berries, 15-20'	ready
clematis virginiana	Virgin's bower	Gal	white blooms, late summer-fall, 9', sun to part shade, med to moist but well-drained soil	<b>sold out</b>
Decumaria barbara	climbing hydrangea/woodvamp	Gal	white blooms, summer to fall, dark foliage, climbs trees or brick, blooms attractive to butterflies/pollinators	<b>sold out</b>
Gelsemium sempervirens	Carolina Jasmine 'Margarita'	Gal	yellow trumpet-shaped blooms, late spring, sun/part shade, med to moist but well-draine soil	ready
Lonicera sempervirens	Trumpet honeysuckle vine	Gal	Scarlet/orange/red blooms, late spring, followed by red berries in fall, 10-20', full sun, med soil, attractive to hummingbirds/pollinators	ready
Lonicera sempervirens	Trumpet honeysuckle vine 'Major Wheeler'	Gal	Red blooms, late spring, followed by red berries in fall, 3-8', full sun, med soil, attractive to hummingbirds/pollinators	ready
Lonicera sempervirens	Trumpet honeysuckle vine 'John Clayton'	Gal	pale yellow blooms, late spring, profuse berry production, 6-12', full sun, med soil, attractive to pollinators	<b>sold out</b>
Lonicera 'Dropmore Scarlet'	Dropmore Scarlet' honeysuckle vine	Gal	coral/red/orange flowers, spring to fall, 10-20', full sun, med soil, attracts hummingbirds	<b>sold out</b>
Matelea carolinensis	Caroline milkvine or climbing milkweed	2 Qt	Unusual maroon blooms in summer followed by seed pods, vines die back completely each winter and re-emerge late spring, blooms attractive to variety of butterflies, host plant for monarch	<b>sold out</b>
menispermum canadense	Common moonseed	Qt	greenish-white flowers, may-june, followed by fruit (not edible), part shade, medium soil, 8-20'	dormant
Passiflora incarnata	Passion flower vine	Gal	Exotic-looking purple and white blooms following by small green 'fruit', summer-fall, up to 20', sun to part shade, attractive to pollinators	<b>sold out</b>
wisteria frutescens	american wisteria	Gal	Lilac-purple blooms, mid spring, 15-30', sun, med soil	<b>sold out</b>
wisteria frutescens 'Nivea'	american wisteria 'Nivea'	Gal	<b>white</b> flowered form of the above	<b>sold out</b>
<b>Ferns</b>				

Sheet1

adiantum pedatum	Maidenhair fern	Qt	delicate foliage on dark stems, 12"-18", part to full shade, avg to moist soil	dormant
asplenium platyneuron	ebony spleenwort	Qt	green foliage with dark stems, 6-12", part to full shade, moist to dry soils	a few avail
asplenium trichomanes	Maidenhair spleenwort	Qt	small evergreen fronds, dark stems, tolerant of dry, rocky sites in shade	sold out
athyrium felix femina	lady fern	Qt	red/brown stems with green foliage, 2', prefers shade to part shade	sold out
athyrium 'ghost'	ghost fern	Gal	silvery-green foliage with reddish stems, 2-3' tall/wide, part to full shade, med to moist soil	sold out
athyrium felix femina 'Lady in Red'	Lady in Red' lady fern	Qt	same as above, but stems have more red coloration	sold out
athyrium felix femina 'minutissima'	dwarf lady fern	Qt	same as above, but more compact form (6-12")	sold out
athyrium felix femina 'Victoriae'	Victoriae' lady fern	Qt	unusual selection of lady fern with criss-crossed fronds with crested tips, 18-24" tall, part to full shade, med to moist soil, deer resistant	sold out
dennstaedtia punctilobula	Hay-scented fern	Qt	green foliage, 1.5-2', part to full shade, med soil	sold out
dryopteris australis	Dixie wood fern	Qt	green foliage, 3-4' tall, full to part shade, med to moist soil	sold out
dryopteris cristata	Crested woodfern	Qt	green foliage, 1-2', part to full shade, moist to wet soil	sold out
dryopteris filix-mas	male fern	Qt	large fronds, 2-3', full to part shade, medium to moist soil	sold out
dryopteris goldiana	Goldie's wood fern	Qt	green foliage, 3', part shade/shade, moist soil	ready soon
dryopteris intermedia	evergreen wood fern	Qt	lacy, evergreen fronds, 1-3', best in moist, shady sites	sold out
dryopteris marginalis	eastern/marginal wood fern	Gal	green foliage, 12"-18", prefers shade to part shade, tolerates dry soils when established	sold out
matteuccia struthiopteris	ostrich fern	Qt, 2 Qt	large fern, 3-6', part to full shade, med to moist soils, deer/rabbit resistant, spreads to form colonies	sold out
onoclea sensibilis	sensitive fern	Qt	green foliage, 12"-18", shade to part shade, moist soils, spreads to form groundcover	sold out
osmunda cinnamomea	cinnamon fern	Qt	green foliage, red/brown upright fronds emerge in summer, 2'-5', prefers shade/part shade, moist soil	sold out
osmunda claytonia	interrupted fern	Qt	vase-like shape, 3-4', fronds develop brown clumps of spores halfway up giving the "interrupted" appearance, best in moist shade, but tolerant of drier conditions once established, deer resistant	sold out
osmunda regalis	royal fern	gal	large fern with broad fronds, 3-6', moist to wet soils, part to full shade	sold out
polystichum acrostichoides	Christmas fern	Qt	evergreen foliage, 1-2', part to full shade, dry to medium soils, clump forming, grows well on rocky banks, good for erosion control	a few avail

Sheet1

thelypteris noveboracensis	New York fern	Qt	fine textured, green foliage, 1-2', part to full shade, moist to dry, spreads to form colonies	<b>sold out</b>
thelypteris palustris	marsh fern	Qt	Yellow-green fronds 18"-24", tolerates sun in moist/wet soils	<b>sold out</b>
<b>Grasses</b>				
andropogon gerardii	big bluestem	Gal	green to blue-green foliage, purplish blooms resembling a turkey foot in fall, foliage has shades of red/bronze/purple in fall, 7'+, sun, dry to med soils	ready soon
andropogon 'Blackhawks'	Rain Dance' bluestem	Gal	dark green foliage turning maroon red in fall, 4-5', sun, dry to med soils	<b>dormant</b>
<i>carex albicans</i>	white tinged sedge	Qt	fine green foliage, 15-20", part to full shade, moist to dry	ready
carex appalachica	Appalachian Sedge	Qt	fine green foliage, 6", shade to part shade, avg to dry soil, good groundcover for dry, shady sites or accent plant in container/stump/rock crevice	<b>sold out</b>
carex flaccosperma	blue wood sedge	Qt	wide blue/green foliage, 6-12", med to moist soil, but drought tolerant once established, good ground cover or edging for shade	<b>sold out</b>
carex laxiculmis	bunny blue sedge	Qt	blue/green foliage, 8"-12", shade to part sun, evergreen (cut back late winter)	<b>sold out</b>
carex pennsylvanica	Pennsylvania sedge	Qt	green airy foliage, 6"-12", shade to part shade, average to dry soil, good groundcover for dry, deciduous shade sites	plugs
carex plantaginea	Seersucker sedge	Qt	wide dimpled leaves, purplish black flowers in spring, 8-12", part to full shade, dry to moist soils	<b>sold out</b>
carex platyphylla	Silver Sedge	Qt	clump-forming sedge, 8-12", with powdery blue-green textured leaves about an inch wide, dry to moist soils, part to full shade, good for dry, rocky banks to stabilize soil	<b>sold out</b>
Chasmanthium latifolium	northern sea oats	Qt	Flat, oat-like seed heads on bamboo-like foliage, sun to part shade, good for dry shady sites	<b>sold out</b>
deschampsia 'goldtau'	Goldtau' tufted hairgrass	Qt	Fine foliage, golden seed heads late summer/fall, part shade, med to moist soils	ready
Elymus hystrix	Bottlebrush grass	Gal	seed heads resembling bottle brushes, 3-5', tolerant of part shade and dry soil	<b>sold out</b>
Elymus virginicus	Virginia wild rye	Qt	wheat/rye-like spikes, 2-4', moist sites, sun to shade, reseeds, good choice for erosion control on slopes	ready
eragrostis spectabilis	Purple love grass	Gal	green foliage with reddish-purple seed heads in late summer, 1-2', sun, dry to med soil, tolerant of poor/dry soils	<b>sold out</b>
hierochloe odorata	vanilla sweet grass	Qt	blue green grass, brownish blooms, 1'-2', sun to part shade, moist to wet soil best, spreads up to 2' year, best in winter-proof container,leaves have vanilla fragrance (dried, braided and then burned, once used by Native Americans in ceremonies)	<b>sold out</b>

Sheet1

muhlenbergia capillaris	Pink hair grass	Gal	fluffy pink flower/seed heads, fall, 3-4', sun to part shade, tolerant of poor soils	<b>sold out</b>
muhlenbergia 'White Cloud'	White Cloud' white hair grass	Gal	soft clouds of airy ivory flower heads on blue-green foliage, 3-4'	<b>sold out</b>
panicum virgatum	Switchgrass ' Shenandoah'	Gal	green foliage turns to red late summer/fall, 2'-3', full to part sun, avg to moist soil, drought tolerant when established, good substitute for non-native ornamental grasses (miscanthus, blood grass, etc)	<b>dormant</b>
panicum virgatum	switchgrass, other varieties	Qt/Gal	Heavy Metal, Rotstrahlbusch, Purple tears avail	<b>dormant</b>
schizachrium scoparium	little bluestem	Qt	green/blue/purple turning red/orange in fall, white seed heads Aug-Oct, 3'-4', full sun, avg to dry soil, well drained	<b>dormant</b>
schizachrium scoparium	little bluestem 'The Blues'	1 Qt	Blue-green foliage with reddish tints, turning burgundy red in fall	<b>sold out</b>
schizachrium scoparium	little bluestem, additional varieties	Qt	Jazz' - blue/gray foliage, burgundy-red fall color, 2-3' upright clumping form, silvery-white seed heads in fall	<b>dormant</b>
sorghastrum nutans	Indian grass	Gal	upright clumps of slender blue-green foliage, turning yellow/gold in fall, sun, moist to dry, 3-4'	<b>sold out</b>
Indian Steel' sorghastrum	Indian Steel' indian grass	Gal	same as above but with showier steel blue-green foliage	<b>sold out</b>
sporobolus heterolepis	prairie dropseed	Qt	fine textured, green hair-like foliage, 2'-3', drought tolerant, nice fall color, seeds attract birds,	<b>sold out</b>
<b>Shrubs/Trees</b>	<b><i>Check our Tree/Shrub Special Order List for full list of available trees/shrubs</i></b>			



